	Material Sa	afety Data Sheet	Issue date	2011.09.23	
🕝 Hanwha 🄫	(	MSDS)	Revision date	2022.04.01	
TotalEnergies	Hanwha TotalE	nergies Petrochemical	Revision No.	REV.5	
	LDPE(Low De	nsity Polyethylene)	Print date	2022.04.01	
1. IDENTIFICAT	ION				
A.Product name	:				
$\bigcirc$ Product	name: Hanwha Tot	alEnergies Petrochemi	cal LDPE(Low	Density	
Polyethy	lene) 620L				
B. Recommended	Use and Restrict	tion on Use			
⊖ General	Use	: Plastic articles	or goods		
$\bigcirc$ Restrict	ion in use	: Not available			
C Monufacturor	/Distributor Inf	ormation			
-	rer Information	ormation			
Company		otalEnergies Petroche	mical Co Lto	ł	
Address				an-Si,	
	· · · · · · · · · · · · · · · · · · ·	, Korea 31900	1 /	,	
Phone	82-41-66	60-6190 FAX	82-41-660-6	6189	
2. HAZARDS IDEN	TIFICATION	uha			
A.GHS Classifi	cation				
1) Physical	Hazards	: Not classified	TotalEne	ergies	
2) Health H	azards	: Not classified			
3) Environm	ental Hazards	: Not classified			
B.GHS label el	ements				
1) Hazard s	ymbols	: Not applicable			
2) Signal W	ord	: Not applicable			
3) Hazard S	tatements Not ap				
	onary Statements				
Preven	-	: Not applicable			
Respon	se	: Not applicable			
■ Storag		: Not applicable			
■ Dispos		: Not applicable			
C.Other hazards which do not result in classification					
	S WITCH UU HUL I				

	Material Safety Data Shee	et	Issue date	2011.09.23
	(MSDS)		Revision date	2022.04.01
Hanwha TotalEnergies	Hanwha TotalEnergies Petrochemic	al	Revision No.	REV.5
	LDPE(Low Density Polyethylene)		Print date	2022.04.01
- Not avail				
3. COMPOSION/I	NFORMATION ON INGREDIENTS			
Chemical name	Trade names and Synonyms (	CAS No	Conte	ents(%)
POLYETHYLENE	Ethene, homopolymer 90	02-88-	-4 ≥	: 99
Additive*	Not applicable Not a	applic	able <	< 1
substance.	sensitizing substance(gas), and no 0.3% o	r more	reproductive	toxic
4. FIRST-AID ME	ASURES			
- Immediate	b your eyes. By flush eyes with plenty of water doctor/physician.		at least 1	
<ul> <li>B. Skin Contact</li> <li>Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.</li> <li>Wash contaminated clothing thoroughly before re-using.</li> </ul>				
<ul> <li>C. Inhalation</li> <li>When exposed to large amounts of steam and mist, move to fresh air.</li> <li>Take specific treatment if needed.</li> </ul>				
D.Ingestion - Please be or not.	- Please be advised by doctor whether induction of vomit is demanded			
			Pag	

	Material Safety Data Sheet	Issue date	2011.09.23			
	(MSDS)	Revision date	2022.04.01			
	Hanwha TotalEnergies Petrochemical	Revision No.	REV.5			
	LDPE(Low Density Polyethylene)	Print date	2022.04.01			
- Rinse your mouth with water immediately.						
long term e	<ul> <li>E.Delayed and immediate effects and also chronic effects from short and long term exposure</li> <li>Not available</li> </ul>					
-	esician edical personnel of contaminated situ riate protective measures.	ations and 1	have them			
5. FIRE FIGHTING	G MEASURE					
<ul> <li>5. FIRE FIGHTING MEASURE <ul> <li>A. Suitable (Unsuitable) extinguishing media</li> <li>1) Suitable extinguishing media</li> <li>Use mist, fine water spray, chemical desiccant, carbon dioxide foam.</li> <li>2) Unsuitable extinguishing media</li> <li>Do not use water in a jet.</li> <li>3) Unusual fire(big fire)</li> <li>B. Specific hazards arising from the chemical</li> <li>Pyrolysis or combustion may produce irritating gases and carbo oxides.</li> </ul> </li> <li>C. Special protective actions for firefighters <ul> <li>Cool containers with water until well after fire is out.</li> <li>Keep unauthorized personnel out.</li> <li>Notify your local fire station and inform the location of the fir and characteristics hazard.</li> <li>In case of conflagration, use automatic fire sprinkler. Major fir may require withdrawal, allowing the object itself to burn.</li> <li>Avoid inhalation of materials or combustion by-products.</li> <li>Keep containers cool with water spray.</li> </ul> </li> </ul>						

Hanwha CotalEnergies	Material Safety Data Sheet	Issue date	2011.09.23
	(MSDS)	Revision date	2022.04.01
	Hanwha TotalEnergies Petrochemical	Revision No.	REV.5
	LDPE(Low Density Polyethylene)	Print date	2022.04.01
6. ACCIDENTAL RELEASE MEASURES			

A. Personal precautions, protective equipment and emergency procedures

- Remove all flammable sources

- If it is not dangerous, stop leaking.

- Take caution of substances and conditions that should be avoided.
- Ventilate properly.
- DO NOT touch the effluents or walk around the area.
- Prevent producing dust.

#### B. Environmental precautions

- -Prevent runoff and contact with waterways, drains or sewers.
- If large amounts have been spilled, inform the relevant authorities.

C. Methods and materials for containment and cleaning up

- Large spill : Stay upwind and keep out of low areas. Dike for later disposal.

- Notify the central and local government if the emission reach the standard threshold.

- Disposal of waste shall be in compliance with the Wastes Control Act
- Appropriate container for disposal of spilled material collected.

- Small leak: sand or other non-combustible material, please let use absorption.

- Wipe off the solvent.

- Dike for later disposal.

- Prevent the influx to waterways, sewers, basements or confined spaces.

- Spilled material should be treated as a potential risk of waste collected.

# 7. HANDLING AND STORAGE

A. Precautions for safe handling


- Wash thoroughly after use.

	Material Safety Data Sheet	Issue date	2011.09.23
	(MSDS)	Revision date	2022.04.01
Hanwha TotalEnergies	Hanwha TotalEnergies Petrochemical	Revision No.	REV.5
	LDPE(Low Density Polyethylene)	Print date	2022.04.01
Talaa aasit	ing anoingt high tongonature		
	ion against high temperature. ineering Maintenance and Personal Prote	ective Gears	at work.
B.Conditions f	or safe storage, including any incompa	tibilities	
	efore storage.		
	cool and dry places. ion of substances and conditions that s	should be ave	bided.
8. EXPOSURE CO	ONTROLS/PERSONAL PROTECTION		
A. Exposure 1			
1) ACGIH T - Not av			
2) OSHA PE			
- Not av	ailable		
B. Engineerin - Busines		n b <mark>elo</mark> w re	commended
	limits for the working place with	general ex	haust of
gas/vapor/	nist/fume.	otalEne	ergies
C. Personal p	rotective equipment		
1) Respira	tory protection		
	conditions of frequent use or heavy	exposure, Re	espiratory
_	on may be needed. atory protection is ranked in order fr	om minimum t	o maximum
-	er warning properties before use.	om millinum t	o maximum.
– Any ch	emical cartridge respirator with organ	ic vapor car	tridge(s).
	chemical cartridge respirator with a	full facep	piece and
_	vapor cartridge(s). r-purifying respirator with a full fac	eniece and a	n organic
vapor ca		cprece and a	
_	nknown Concentration or Immediately I	Dangerous to	Life or

iviale	rial Safety Data Sheet	Issue date	2011.09.23
🕞 Hanwha 🔫	(MSDS)	Revision date	2022.04.01
TotalEnergies	TotalEnergies Petrochemical	Revision No.	REV.5
LDPE	(Low Density Polyethylene)	Print date	2022.04.01
Health : Any sı	upplied-air respirator wi	th full facep	piece and
operated in a pr	essure-demand or other pos	sitive-pressure	e mode in
combination with	a separate escape supp	ly. Any self-	contained
breathing apparate	us with a full facepiece.		
2) Eye protection			
- Wear primary	eye protection such as s	plash resistar	nt safety
goggles with a se	condary protection face shi	eld.	
- Provide an emer	gency eye wash station and	quick drench	shower in
the immediate worl	k area.		
3) Hand protection			
	e chemical resistant glove.		
4) Skin protection			
	e protective clothing by c	onsidering phy	sical and
chemical properties	of chemicals.		
5) Others			
- Not available			
	nuha		
9. Physical and Chemical F		Total	
A. Appearance(physical	state, color etc.)	Pellet	
B. Odor		: Not avai	
			lable
C. Odor Threshold		: Not avai	lable lable
D. pH		: Not avai : Not avai	lable lable lable
D. pH E. Melting point/Freez		: Not avai : Not avai : 100 ~ 11	lable lable lable 5℃
D. pH E. Melting point/Freez F. Initial boiling poin	ing point nt and boiling point range	: Not avai : Not avai : 100 ~ 11 : Not avai	lable lable lable 5℃ lable
D. pH E. Melting point/Freez F. Initial boiling poin G. Flash point		: Not avai : Not avai : 100 ~ 11 : Not avai : Not avai	lable lable lable 5℃ lable lable
<ul> <li>D. pH</li> <li>E. Melting point/Freez</li> <li>F. Initial boiling point</li> <li>G. Flash point</li> <li>H. Evaporation Rate</li> </ul>	nt and boiling point range	: Not avai : Not avai : 100 ~ 11 : Not avai : Not avai : Not avai	lable lable 5℃ lable lable lable
<ul> <li>D. pH</li> <li>E. Melting point/Freez</li> <li>F. Initial boiling point</li> <li>G. Flash point</li> <li>H. Evaporation Rate</li> <li>I. Flammability (solid)</li> </ul>	nt and boiling point range , liquid)	: Not avai : Not avai : 100 ~ 11 : Not avai : Not avai : Not avai : Not avai	lable lable 5℃ lable lable lable lable
<ul> <li>D. pH</li> <li>E. Melting point/Freez</li> <li>F. Initial boiling point</li> <li>G. Flash point</li> <li>H. Evaporation Rate</li> <li>I. Flammability (solid)</li> <li>J. Explosion range of point</li> </ul>	nt and boiling point range	<ul> <li>Not avai</li> <li>Not avai</li> <li>100 ~ 11</li> <li>Not avai</li> </ul>	lable lable 5℃ lable lable lable lable lable
<ul> <li>D. pH</li> <li>E. Melting point/Freez</li> <li>F. Initial boiling point</li> <li>G. Flash point</li> <li>H. Evaporation Rate</li> <li>I. Flammability (solid</li> <li>J. Explosion range of p</li> <li>K. Vapor pressure</li> </ul>	nt and boiling point range , liquid)	<ul> <li>Not avai</li> <li>Not avai</li> <li>100 ~ 11</li> <li>Not avai</li> </ul>	lable lable 5℃ lable lable lable lable lable lable
<ul> <li>D. pH</li> <li>E. Melting point/Freez</li> <li>F. Initial boiling point</li> <li>G. Flash point</li> <li>H. Evaporation Rate</li> <li>I. Flammability (solid</li> <li>J. Explosion range of p</li> <li>K. Vapor pressure</li> <li>L. Solubility</li> </ul>	nt and boiling point range , liquid)	<ul> <li>Not avai</li> <li>Not avai</li> <li>100 ~ 11</li> <li>Not avai</li> </ul>	lable lable 5°C lable lable lable lable lable lable lable
<ul> <li>D. pH</li> <li>E. Melting point/Freez</li> <li>F. Initial boiling point</li> <li>G. Flash point</li> <li>H. Evaporation Rate</li> <li>I. Flammability (solid</li> <li>J. Explosion range of p</li> <li>K. Vapor pressure</li> </ul>	nt and boiling point range , liquid)	<ul> <li>Not avai</li> <li>Not avai</li> <li>100 ~ 11</li> <li>Not avai</li> </ul>	lable lable 5°C lable lable lable lable lable lable lable lable

	Material Safety Data Sheet	ŀ	Issue date	2011.09.23
	(MSDS)	-	Revision date	2022.04.01
	Hanwha TotalEnergies Petrochemica LDPE(Low Density Polyethylene)	1	Revision No.	REV.5
	LDIE(LOW DENSITY TOTYETHYTEHE)		Print date	2022.04.01
0. n-octanol	/ water partition coefficient :	Not	available	
P. Autoigniti	on temperature ::	> 38	℃ ℃	
Q. Decomposit	ion temperature :	Not	available	
R. Viscosity			available	
S. Molecular	Weight ::	> 1,	000	
10. STABILITY AN	ND REACTIVITY			
A.Chemical Sta	bility			
	luct is stable at steady-state when	stoi	red and hand	led under
recommended	conditions, temperature and pressu	re.		
B.Possibility	of hazardous reactions			
- No repo	ort about harmful polymerized n	reac	tions in	the room
temperature	e and pressure.			
C. Conditions t		1	·	
	tact with heat, sparks, flame or ot s may burst or explode when exposed			urces.
	y from waterways and sewers		otalEne	eraies
	exposed to fire may release flamma			
C, THATS		~10	64555 (110 CC	,
D. Incompatible	material			
- Flammable	substance			
F Hazardous de	ecomposition products			
	decomposition products $\rightarrow$ carbon oxid	65		
		0		
11. Toxicologic	cal Information			
A. Information	on the likely routes of exposure			
1) Respirat	ory tracts : Not available			
2) Oral : N	ot available			
3) Skin con	tact : Not available			

	Material Safety I	Data Sh	eet	Issue date	2011.09.23
	(MSDS			Revision date	2022.04.01
Hanwha TotalEnergies	Hanwha TotalEnergies	Petrocher	nical	Revision No.	REV.5
	LDPE(Low Density Pe			Print date	2022.04.01
	1.	· Not		1_	
4) Eye cont	act	• NOL	availab	le	
B.Delayed and	immediate effects and	also chr	onic ef	fects from a	short and
long term e	exposure				
1) Acute to	xicity				
• Oral		: Not	availab	le	
• Dermal		: Not	availab	le	
• Inhalat	ion	: Not	availab	le	
2) Skin cor	rosion/irritation	: Not	availab	le	
3) Serious	eye damage/irritation	: Not	availab	le	
	ory sensitization	: Not	availab	le	
-	sitization	: Not	availab	le	
6) Carcinog		: Not	availab	le	
* IARC	·	: Not	availab	le	
* OSHA		: Not	availab	le	
* ACGIH			availab		
* NTP			availab		
* EU CLP	nanwi		availab		
7) Germ cel	1 mutagenicity		availab		raias
	tive toxicity		availab	ULUILIN	ergies
. –	gle exposure		availab		
	epeated exposure		availab		
11) Aspirat			availab		
· · ·					
12. ECOLOGICAL					
A. Ecotoxicity					
- Acute aqu	atic toxicity	: Not	availab	le	
- Chronic a	quatic toxicity	: Not	availab	le	
1) Fish		: Not	availab	le	
2) Crustace	an	: Not	availab	le	
3) Algae		: Not	availab	le	



Hanwha TotalEnergies	Material Safety Data Sheet	Issue date	2011.09.23
	(MSDS)	Revision date	2022.04.01
	Hanwha TotalEnergies Petrochemical LDPE(Low Density Polyethylene)	Revision No.	REV.5
		Print date	2022.04.01

- Dispose of the waste in accordance with all national laws and regulations

### 14. TRANSPORT INFORMATION

A.UN No. (IMDG CODE/IATA DGR)

B. Proper shipping name

C.Hazard Class

D. IMDG CODE/IATA DGR Packing group

E.Marine pollutant

: Not applicable

: Not applicable

- : Not applicable
- : Not applicable
  - : Not applicable
- F.Special precautions for user related to transport or transportation measures

- Local transport follows in accordance with Dangerous goods Safety Management Law.

- Package and transport follow in accordance with Department of Transportation (DOT) and other regulatory agency requirements.

- Air transport(IATA): Not subject to IATA regulations.

# 15. REGULATORY INFORMATION

A. National and/or international regulatory information	
1) POPs Management Law : Not regulated	
2) Information of EU Classification	
• Classification : Not applicable	
3) U.S. Federal regulations	
• OSHA PROCESS SAFETY (29CFR1910.119) : Not regulated	
• CERCLA Section 103 (40CFR302.4) : Not regulated	
• EPCRA Section 302 (40CFR355.30) : Not regulated	
• EPCRA Section 304 (40CFR355.40) : Not regulated	

	Material Safety Data Sheet	Issue date	2011.09.23
	(MSDS)	Revision date	2022.04.01
Hanwha TotalEnergies	Hanwha TotalEnergies Petrochemical	Revision No.	REV.5
	LDPE(Low Density Polyethylene)	Print date	2022.04.01
		regulated	
	<pre>m Convention listed ingredients : Not m Convention listed ingredients : Not</pre>	-	
	-	regulated	
0) Montrear	fiotocol fisted ingreatents . Not	regulateu	
16. OTHER INFO	RMATION		
A.Reference			
$\bigcirc$ TSCA ; h	ttp://iaspub.epa.gov/sor_internet/regis	stry/substreg	g/
searchandre	trieve/searchbylist/search.do		
_	ation 1272/2008		
_	OLI ; http://csi.micromedex.com/fraMain	-	
	mendations on the transport of dangerou	_	
	ographs on the Evaluation of Carcinoger	nic Risks to	Humans;
-	graphs.iarc.fr N: http://ocho.com/mah/moot/inf		ah ami'a a la
	CM; http://echa.europa.eu/web/guest/inf -substances	ormation-on-	chemicars
	S; http://webnet.oecd.org/Hpv/UI/Search	2 2 CDV	
	tp://toxnet.nlm.nih.gov/cgi-bin/sis/sea		
		otalEne	eraies
	http://www.inchem.org/		3
	Program ver.4.1		
	U U		
B.Key acronyms			
	erican Conference of Governmental Indus	strial Hygier	nists)
	opean Chemicals Agency)		、 、
	anization for Economic Co-operation and	_	
	Comprehensive Environmental Response	, Compensat	ion, and
Liability A		- <i>m</i> )	
	ernational Agency for Research on Cance		)
	tional Institute for Occupational Safet		1/
	upational Safety and Health Administrat onal Toxicology Program)	1011)	
	onar ionicology ilogram/		

	Material Safety Data Sheet	Issue date	2011.09.23
	(MSDS)	Revision date	2022.04.01
	Hanwha TotalEnergies Petrochemical	Revision No.	REV.5
	LDPE(Low Density Polyethylene)	Print date	2022.04.01
<ul> <li>NFPA(Nat</li> <li>LC50(Let</li> <li>LD50(Let</li> <li>EC50(50%)</li> <li>STEL(Shote)</li> <li>TWA(Time)</li> <li>TLV(Three)</li> <li>C. Issued date</li> <li>D. Revision num</li> <li>E. Other material</li> <li>This SDS (GHS).</li> <li>This safe that we knote)</li> <li>Please note itself.</li> <li>This information any loss on the set of the se</li></ul>	nber and date : 5 <sup>th</sup> , 2022.04.01 al safety data sheet information: 5 is prepared according to the Global ety data sheet is based on current know	rantee of th al designate ation with a s to the bes of the date ee is made a user's respo completeness accept liab	formation e product d and may any other st of our compiled. as to its nsibility of such ility for