| Hanwha rotalEnergies | Material Safety Data Sheet | Issue date | 2011.09.23 |
|----------------------|--|---------------|------------|
| | (MSDS) | Revision date | 2022.04.01 |
| | Hanwha TotalEnergies Petrochemical BCPP | Revision No. | REV.6 |
| | | Print date | 2022.04.01 |

1. IDENTIFICATION

- A. Product name
 - Product name: Hanwha TotalEnergies Petrochemical BCPP BJ500

B. Recommended Use and Restriction on Use

- \bigcirc General Use: Plastic articles or goods
- \bigcirc Restriction in use: Not available

C. Manufacturer/Distributor Information

- Manufacturer Information

| Company | Hanwha | Hanwha TotalEnergies Petrochemical Co., Ltd. | | | | |
|---------|-----------------------|--|-----|--|-------|-----------|
| Address | 103, | 103, Dokgot 2-ro, Daesan-Up, Seosan-Si, | | | | |
| | Chungnam, Korea 31900 | | | | | |
| Phone | 82-41 | -660-6190 | FAX | | 82-41 | -660-6189 |

2. HAZARDS IDENTIFICATION

A. GHS Classification 1) Physical Hazards : Not classified **TotalEnergies** 2) Health Hazards : Not classified 3) Environmental Hazards : Not classified B.GHS label elements 1) Hazard symbols : Not applicable 2) Signal Word : Not applicable 3) Hazard Statements Not applicable 4) Precautionary Statements ■ Prevention : Not applicable ■ Response : Not applicable ■ Storage : Not applicable ■ Disposal : Not applicable C. Other hazards which do not result in classification - Not available

| | Material Safety Data Sheet | Issue date | 2011.09.23 | | |
|----------------------|------------------------------------|--------------------|------------|--|--|
| | (MSDS) | Revision date | 2022.04.01 | | |
| Hanwha TotalEnergies | Hanwha TotalEnergies Petrochemical | Revision No. REV.6 | | | |
| | BCPP | Print date | 2022.04.01 | | |
| | | | | | |
| 3. COMPOSION/II | NFORMATION ON INGREDIENTS | | | | |
| | | | | | |
| Chemical name | Trade names and Synonyms CA | S No Cont | ents (%) | | |
| ETHYLENEPROPYLEN | E 1-PROPENE, POLYMER | | | | |

| Additive* Not applicable Not applicable < 1 | | | | |
|---|-----------|----------------|----------------|-----|
| | Additive* | Not applicable | Not applicable | < 1 |

WITH ETHENE

* In additive components, there are no 1% or more hazardous substance subject to management, no 0.1% or more carcinogens and germ cell mutagenic substance, no 0.2% or more respiratory sensitizing substance(gas), and no 0.3% or more reproductive toxic substance.

4. FIRST-AID MEASURES

A. Eye Contact

COPOLYMER

- Do n<mark>o</mark>t rub your eyes.

- Immediately flush eyes with plenty of water for at least 15 minutes and call a doctor/physician.

TotalEnergies

 ≥ 99

9010-79-1

B. Skin Contact

- Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.

- Wash contaminated clothing thoroughly before re-using.

- C. Inhalation
 - When exposed to large amounts of steam and mist, move to fresh air.
 - Take specific treatment if needed.

D. Ingestion

- Please be advised by doctor whether induction of vomit is demanded or not.

- Rinse your mouth with water immediately.

| | Material Safety Data Sheet | Issue date | 2011.09.23 | | |
|--|------------------------------------|---------------|------------|--|--|
| ᢙ Hanwha 🔫 | (MSDS) | Revision date | 2022.04.01 | | |
| TotalEnergies | Hanwha TotalEnergies Petrochemical | Revision No. | REV.6 | | |
| | BCPP | Print date | 2022.04.01 | | |
| E. Delayed and immediate effects and also chronic effects from short and long term exposure Not available F. Notes to physician Notify medical personnel of contaminated situations and have them take appropriate protective measures. | | | | | |
| 5. FIRE FIGHTING | G MEASURE | | | | |
| 5. FIRE FIGHTING MEASURE A. Suitable (Unsuitable) extinguishing media 1) Suitable extinguishing media -Use mist, fine water spray, chemical desiccant, carbon dioxide, foam. 2) Unsuitable extinguishing media : Do not use water in a jet. 3) Unusual fire(big fire) : Not available B. Specific hazards arising from the chemical Pyrolysis or combustion may produce irritating gases and carbon oxides. C. Special protective actions for firefighters Cool containers with water until well after fire is out. Keep unauthorized personnel out. Notify your local fire station and inform the location of the fire and characteristics hazard. In case of conflagration, use automatic fire sprinkler. Major fire may require withdrawal, allowing the object itself to burn. Avoid inhalation of materials or combustion by-products. Keep containers cool with water spray. | | | | | |
| | RELEASE MEASURES | gency proce | lures | | |
| n.rersonar pre | equipment and emer | Serie, brocce | | | |

| Hanwha TotalEnergies | Material Safety Data Sheet | Issue date | 2011.09.23 |
|----------------------|--|---------------|------------|
| | (MSDS) | Revision date | 2022.04.01 |
| | Hanwha TotalEnergies Petrochemical BCPP | Revision No. | REV.6 |
| | | Print date | 2022.04.01 |

- Remove all flammable sources
- If it is not dangerous, stop leaking.
- Take caution of substances and conditions that should be avoided.
- Ventilate properly.
- DO NOT touch the effluents or walk around the area.
- Prevent producing dust.

B. Environmental precautions

- -Prevent runoff and contact with waterways, drains or sewers.
- If large amounts have been spilled, inform the relevant authorities.

C. Methods and materials for containment and cleaning up

- Large spill : Stay upwind and keep out of low areas. Dike for later disposal.

- Notify the central and local government if the emission reach the standard threshold.

- Disp<mark>o</mark>sal of waste shall be in compliance with the Wa<mark>st</mark>es Control Act
- Appropriate container for disposal of spilled material collected.

- Small leak: sand or other non-combustible material, please let use absorption.

- Wipe off the solvent.
- Dike for later disposal.
- Prevent the influx to waterways, sewers, basements or confined spaces.

- Spilled material should be treated as a potential risk of waste collected.

7. HANDLING AND STORAGE

- A. Precautions for safe handling
 - Wash thoroughly after use.
 - Take caution against high temperature.
 - Refer Engineering Maintenance and Personal Protective Gears at work.

| | Material Safety Data Sheet | Issue date | 2011.09.23 | |
|--|------------------------------------|---------------|------------|--|
| | (MSDS) | Revision date | 2022.04.01 | |
| Hanwha TotalEnergies | Hanwha TotalEnergies Petrochemical | Revision No. | REV.6 | |
| | BCPP | Print date | 2022.04.01 | |
| B. Conditions for safe storage, including any incompatibilities Seal it before storage. Store in cool and dry places. Take caution of substances and conditions that should be avoided. | | | | |
| 8. EXPOSURE CO | ONTROLS/PERSONAL PROTECTION | | | |
| A. Exposure limits 1) ACGIH TLV - Not available 2) OSHA PEL - Not available | | | | |
| B. Engineering controls Business owner is recommended to maintain below recommended exposure limits for the working place with general exhaust of gas/vapor/mist/fume. | | | | |
| C. Personal protective equipment 1) Respiratory protection Under conditions of frequent use or heavy exposure, Respiratory | | | | |
| protection may be needed. Respiratory protection is ranked in order from minimum to maximum. Consider warning properties before use. Any chemical cartridge respirator with organic vapor cartridge(s). | | | | |

- Any chemical cartridge respirator with a full facepiece and organic vapor cartridge(s).

- Any air-purifying respirator with a full facepiece and an organic vapor canister.

- For Unknown Concentration or Immediately Dangerous to Life or Health : Any supplied-air respirator with full facepiece and operated in a pressure-demand or other positive-pressure mode in

| | Material Safety Data Sheet | Issue date | 2011.09.23 | | | |
|---|--|----------------|------------|--|--|--|
| | (MSDS) | Revision date | 2022.04.01 | | | |
| Hanwha TotalEnergies | Hanwha TotalEnergies Petrochemical | Revision No. | REV.6 | | | |
| | BCPP | Print date | 2022.04.01 | | | |
| combination with a separate escape supply. Any self-contained | | | | | | |
| breathing apparatus with a full facepiece. | | | | | | |
| 2) Eye pro | tection | | | | | |
| | primary eye protection such as sp | | nt safety | | | |
| | with a secondary protection face shie | | | | | |
| | e an emergency eye wash station and diate work area. | quick drench | shower in | | | |
| 3) Hand pr | | | | | | |
| _ | ppropriate chemical resistant glove. | | | | | |
| 4) Skin pr | | | | | | |
| - Wear a | appropriate protective clothing by co | onsidering phy | sical and | | | |
| chemical p | roperties of chemicals. | | | | | |
| 5) Others | | | | | | |
| - Not av | ailable | | | | | |
| | | | | | | |
| | Chemical Properties | | | | | |
| A. Appearance B. Odor : Not | (physical state, color etc.) : White available | | | | | |
| C. Odor Thres | hold : Not available | TotalEne | ergies | | | |
| D. pH : Not a | | | | | | |
| | int/Freezing point ∶ 130~170℃ | | | | | |
| | iling point and boiling point range: | Not available | | | | |
| - | t: Not available n Rate: Not available | | | | | |
| - | H. Evaporation Rate: Not available I. Flammability (solid, liquid): Not available | | | | | |
| J. Explosion range of prints or high / low: Not available | | | | | | |
| _ | SURE: Not available | | | | | |
| L. Solubility | : Not available | | | | | |
| M. Vapor Dens | ity: Not available | | | | | |
| N. Specific g | ravity: 0.89~0.92 | | | | | |
| | 0. n-octanol / water partition coefficient: Not available | | | | | |
| P. Autoigniti | on temperature: 380℃ | | | | | |
| | | | | | | |

| | Material Safety Data Sheet | Issue date | 2011.09.23 | | |
|--|------------------------------------|---------------|------------|--|--|
| | (MSDS) | Revision date | 2022.04.01 | | |
| Hanwha TotalEnergies | Hanwha TotalEnergies Petrochemical | Revision No. | REV.6 | | |
| | BCPP | Print date | 2022.04.01 | | |
| | | | | | |
| Q. Decomposit | ion temperature: Not available | | | | |
| · · · | - | | | | |
| K. VISCOSILY. | Not available | | | | |
| S. Molecular | Weight: > 1,000 | | | | |
| | | | | | |
| 10. STABILITY AND REACTIVITY | | | | | |
| A.Chemical Stability | | | | | |
| - This product is stable at steady-state when stored and handled under | | | | | |
| recommended conditions, temperature and pressure. | | | | | |

B. Possibility of hazardous reactions

- No report about harmful polymerized reactions in the room temperature and pressure.

- C.Conditions to avoid
 - Avoid contact with heat, sparks, flame or other ignition sources.
 - Containers may burst or explode when exposed to heat
 - Store away from waterways and sewers
 - Cylinders exposed to fire may release flammable gases (no code)
- D. Incompatible material
 - Flammable substance


E.Hazardous decomposition products

- Thermal decomposition product \rightarrow carbon oxides

11. Toxicological Information

- A. Information on the likely routes of exposure
 - 1) Respiratory tracts : Not available
 - 2) Oral : Not available
 - 3) Skin contact : Not available
 - 4) Eye contact : Not available

IotalEnero



| Hanwha CotalEnergies | Material Safety Data Sheet | Issue date | 2011.09.23 |
|----------------------|--|---------------|------------|
| | (MSDS) | Revision date | 2022.04.01 |
| | Hanwha TotalEnergies Petrochemical BCPP | Revision No. | REV.6 |
| | | Print date | 2022.04.01 |

- 2) Degradabiltiy : Not available
- C. Bioaccumulation potential
 - 1) Bioaccumulation : Not available
 - 2) Biodegration : Not available
- D. Mobility in soil : Not available
- E.Other adverse effects - Not available

13. Disposal Considerations

- A.Disposal method
 - When this waste is solid state and doesn't mixed with other materials, it should be entrusted to the waste recycling processor
 - When it is impossible to recycle, it should be entrusted to the waste recycling processor in accordance with the national regulated disposal methods(ex. incineration, landfill, etc)
 - When this waste is mixed with designated wastes, it is entrusted to the waste recycling processor in accordance with the national regulated disposal methods for the designated wastes

B. Disposal instruction

- Take care not to burst the package bag and/or the package container
- Take care not to spill out of the package bag and/or the package container
- Don't dispose of the waste which mixed with the reactive material
- When disposing of the waste mixed with other materials, after stabilzing in order not to react each other, it should be safely disposed in accordance with the national regulation
- Dispose of the waste in accordance with all national laws and regulations

| Hanwha 📷 | Material Safety Data Sheet | Issue date | 2011.09.23 | |
|--|---------------------------------------|---------------|------------|--|
| | (MSDS) | Revision date | 2022.04.01 | |
| | Hanwha TotalEnergies Petrochemical | Revision No. | REV.6 | |
| | BCPP | Print date | 2022.04.01 | |
| 14. TRANSPORT | INFORMATION | | | |
| A.UN No. (IMDG | CODE/IATA DGR) : Not applicable | | | |
| B.Proper shipp | ing name : Not applicable | | | |
| C.Hazard Class | : Not applicable | | | |
| D.IMDG CODE/IA | TA DGR Packing group : Not applicable | | | |
| E.Marine pollu | tant : Not applicable | | | |
| F.Special pree measures | cautions for user related to transpo | rt or trans | portation | |
| | ansport follows in accordance with Da | angerous goo | ds Safety | |
| Management Law. - Package and transport follow in accordance with Department of | | | | |
| Transportation (DOT) and other regulatory agency requirements. | | | | |
| - Air transport(IATA): Not subject to IATA regulations. | | | | |
| | | | | |

- 1) POPs Management Law : Not regulated
 - 2) Information of EU Classification
 - Classification : Not applicable
 - 3) U.S. Federal regulations
 - OSHA PROCESS SAFETY (29CFR1910.119) : Not regulated
 - CERCLA Section 103 (40CFR302.4) : Not regulated
 - EPCRA Section 302 (40CFR355.30) : Not regulated
 - EPCRA Section 304 (40CFR355.40) : Not regulated
 - EPCRA Section 313 (40CFR372.65) Not regulated
 - 4) Rotterdam Convention listed ingredients : Not regulated
 - 5) Stockholm Convention listed ingredients : Not regulated

| Hanwha TotalEnergies | Material Safety Data Sheet | Issue date | 2011.09.23 |
|----------------------|--|---------------|------------|
| | (MSDS) | Revision date | 2022.04.01 |
| | Hanwha TotalEnergies Petrochemical BCPP | Revision No. | REV.6 |
| | | Print date | 2022.04.01 |
| | | | |

| 6) Montreal Protocol listed ingredients : Not regulated | | | |
|--|--|--|--|
| 16. OTHER INFORMATION | | | |
| A. Reference TSCA ; http://iaspub.epa.gov/sor_internet/registry/substreg/ searchandretrieve/searchbylist/search.do EU Regulation 1272/2008 TOMES; LOLI ; http://csi.micromedex.com/fraMain.asp?Mnu=0 UN Recommendations on the transport of dangerous goods 17th IARC Monographs on the Evaluation of Carcinogenic Risks to Humans; http://monographs.iarc.fr ECHA CHEM; http://echa.europa.eu/web/guest/information-on-chemicals | | | |
| <pre>/registered-substances</pre> | | | |
| B. Key acronyms ACGIH(American Conference of Governmental Industrial Hygienists) ECHA(European Chemicals Agency) OECD(Organization for Economic Co-operation and Development) CERCLA(Comprehensive Environmental Response, Compensation, and Liability Act) IARC(International Agency for Research on Cancer) NIOSH(National Institute for Occupational Safety and Health) OSHA(Occupational Safety and Health Administration) NTP(National Toxicology Program) TSCA(Toxic Substances Control Act) NFPA(National Fire Protection Association) LC50(Lethal Concentration 50% kill) | | | |

| Hanwha TotalEnergies | Material Safety Data Sheet (MSDS) | Issue date | 2011.09.23 |
|----------------------|--|---------------|------------|
| | | Revision date | 2022.04.01 |
| | Hanwha TotalEnergies Petrochemical BCPP | Revision No. | REV.6 |
| | | Print date | 2022.04.01 |

○ LD50(Lethal Dose 50% kill)

 \bigcirc EC50(50% Effect Concentration)

- STEL(Short Term Exposure Limit)
- TWA(Time weight Average)
- TLV(Threshold Limit Value)
- C. Issued date : 2011.09.23
- D.Revision number and date : 6th, 2022.04.01

E.Other material safety data sheet information:

- This SDS is prepared according to the Globally Harmonized System (GHS).

- This safety data sheet is based on current knowledge and information that we know.

- Please note that this information is not a guarantee of the product itself.

- This information relates to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is to the best of our knowledge and belief, accurate and reliable as of the date compiled. However, no representation, warranty or guarantee is made as to its accuracy, reliability on completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information nor do we offer warranty against patent infringement.