| Hanwha 💦 | Material Safety Data Sheet | Issue date | 2011.09.23 |
|----------|---|---------------|------------|
| | (MSDS) | Revision date | 2022.04.01 |
| | Hanwha TotalEnergies Petrochemical Random PP | Revision No. | REV.6 |
| | | Print date | 2022.04.01 |

1. IDENTIFICATION

- A. Product name
 - Product name: Hanwha TotalEnergies Petrochemical Random PP RJ770

B. Recommended Use and Restriction on Use

- \bigcirc General Use: Plastic articles or goods
- \bigcirc Restriction in use: Not available

C. Manufacturer/Distributor Information

- Manufacturer Information

| Company | Hanwha TotalEnergies Petrochemical Co., Ltd. | | | | |
|---------|--|-------|------------|------------|--|
| Address | 103, Dokgot | 2-ro, | Daesan-Up, | Seosan-Si, | |
| | Chungnam, Korea 31900 | | | | |
| Phone | 82-41-660-6190 |) FAX | 82-4 | 1-660-6189 | |

2. HAZARDS IDENTIFICATION

A. GHS Classification 1) Physical Hazards : Not classified **TotalEnergies** 2) Health Hazards : Not classified 3) Environmental Hazards : Not classified B.GHS label elements 1) Hazard symbols : Not applicable 2) Signal Word : Not applicable 3) Hazard Statements Not applicable 4) Precautionary Statements ■ Prevention : Not applicable ■ Response : Not applicable ■ Storage : Not applicable ■ Disposal : Not applicable C. Other hazards which do not result in classification - Not available

| Hanwha Res | Material Safety Data Sheet | Issue date | 2011.09.23 | |
|---|------------------------------------|---------------|------------|--|
| | (MSDS) | Revision date | 2022.04.01 | |
| | Hanwha TotalEnergies Petrochemical | Revision No. | REV.6 | |
| | Random PP | Print date | 2022.04.01 | |
| | | | | |
| 3. COMPOSION/INFORMATION ON INGREDIENTS | | | | |

| Chemical name | Trade names and Synonyms | CAS No | Contents (%) |
|--------------------------------|----------------------------------|----------------------|--------------|
| ETHYLENEPROPYLENE COPOLYMER | 1-PROPENE,POLYMER WITH ETHENE | 9010-79-1 | ≥99 |
| Additive* | Not applicable | Not applicable | < 1 |
| ✗ In additive components, | there are no 1% or more hazan | rdous substance subj | ect to |

management, no 0.1% or more carcinogens and germ cell mutagenic substance, no 0.2% or more respiratory sensitizing substance(gas), and no 0.3% or more reproductive toxic substance.

4. FIRST-AID MEASURES

A. Eye Contact

- Do n<mark>o</mark>t rub your eyes.

- Immediately flush eyes with plenty of water for at least 15 minutes and call a doctor/physician.

TotalEnergies

B. Skin Contact

- Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.

- Wash contaminated clothing thoroughly before re-using.

- C. Inhalation
 - When exposed to large amounts of steam and mist, move to fresh air.
 - Take specific treatment if needed.

D. Ingestion

- Please be advised by doctor whether induction of vomit is demanded or not.

- Rinse your mouth with water immediately.

| | Material Safety Data Sheet | Issue date | 2011.09.23 | | |
|--|---|--|---------------------------------|--|--|
| | (MSDS) | Revision date | 2022.04.01 | | |
| Hanwha TotalEnergies | Hanwha TotalEnergies Petrochemical | Revision No. | REV.6 | | |
| | Random PP | Print date | 2022.04.01 | | |
| | | | | | |
| E.Delayed and immediate effects and also chronic effects from short and long term exposure - Not available | | | | | |
| F.Notes to phy | sician | | | | |
| - | edical personnel of contaminated situ riate protective measures. | ations and l | have them | | |
| 5. FIRE FIGHTING | G MEASURE | | | | |
| Suitable -Use mist, Unsuitab Unsuitab Unusual Specific haz Pyrolysis oxides. C. Special prot Cool cont Keep unau Notify yo and charact In case of may require Avoid inh | ective actions for firefighters ainers with water until well after fire thorized personnel out. our local fire station and inform the eristics hazard. of conflagration, use automatic fire s withdrawal, allowing the object itsels alation of materials or combustion by-p | ter in a jet ng gases ar otolEn e is out. location of sprinkler. M f to burn. | nd carbon argies the fire | | |
| | ainers cool with water spray. | | | | |
| | RELEASE MEASURES | | | | |
| A.Personal pre | cautions, protective equipment and emer | rgency proce | dures | | |

| Hanwha rotalEnergies | Material Safety Data Sheet | Issue date | 2011.09.23 |
|----------------------|---|---------------|------------|
| | (MSDS) | Revision date | 2022.04.01 |
| | Hanwha TotalEnergies Petrochemical Random PP | Revision No. | REV.6 |
| | | Print date | 2022.04.01 |

- Remove all flammable sources
- If it is not dangerous, stop leaking.
- Take caution of substances and conditions that should be avoided.
- Ventilate properly.
- DO NOT touch the effluents or walk around the area.
- Prevent producing dust.

B. Environmental precautions

- -Prevent runoff and contact with waterways, drains or sewers.
- If large amounts have been spilled, inform the relevant authorities.

C. Methods and materials for containment and cleaning up

- Large spill : Stay upwind and keep out of low areas. Dike for later disposal.

- Notify the central and local government if the emission reach the standard threshold.

- Disp<mark>o</mark>sal of waste shall be in compliance with the Wa<mark>st</mark>es Control Act
- Appropriate container for disposal of spilled material collected.

- Small leak: sand or other non-combustible material, please let use absorption.

- Wipe off the solvent.
- Dike for later disposal.
- Prevent the influx to waterways, sewers, basements or confined spaces.

- Spilled material should be treated as a potential risk of waste collected.

7. HANDLING AND STORAGE

A. Precautions for safe handling

- Wash thoroughly after use.
- Take caution against high temperature.
- Refer Engineering Maintenance and Personal Protective Gears at work.


| | Matarial Safaty Data Shaat | | 0011 00 00 | | |
|--|---|---------------|------------|--|--|
| | Material Safety Data Sheet (MSDS) | Issue date | 2011.09.23 | | |
| ᢙ Hanwha 🔫 | (10000) | Revision date | 2022.04.01 | | |
| TotalEnergies | Hanwha TotalEnergies Petrochemical | Revision No. | REV.6 | | |
| | Random PP | Print date | 2022.04.01 | | |
| B. Conditions for safe storage, including any incompatibilities Seal it before storage. Store in cool and dry places. Take caution of substances and conditions that should be avoided. | | | | | |
| 8. EXPOSURE CO | ONTROLS/PERSONAL PROTECTION | | | | |
| | ailable L ailable g controls s owner is recommended to maintai limits for the working place with | | | | |
| | rotective equipment T tory protection | otalEne | ergies | | |
| Under conditions of frequent use or heavy exposure, Respiratory protection may be needed. Respiratory protection is ranked in order from minimum to maximum. Consider warning properties before use. Any chemical cartridge respirator with organic vapor cartridge(s). Any chemical cartridge respirator with a full facepiece and organic vapor cartridge(s). Any air-purifying respirator with a full facepiece and an organic vapor canister. For Unknown Concentration or Immediately Dangerous to Life or Health : Any supplied-air respirator with full facepiece and | | | | | |
| | in a pressure-demand or other posit | | | | |
| | | Pag | ; e 5 12 | | |

| | Material Safety Data Sheet | Issue date | 2011.09.23 | | | |
|--|--|------------------------|------------|--|--|--|
| | (MSDS) | Revision date | 2022.04.01 | | | |
| Hanwha TotalEnergies | Hanwha TotalEnergies Petrochemical | Revision No. | REV.6 | | | |
| | Random PP | Print date | 2022.04.01 | | | |
| combination with a separate escape supply. Any self-contained breathing apparatus with a full facepiece. 2) Eye protection Wear primary eye protection such as splash resistant safety goggles with a secondary protection face shield. Provide an emergency eye wash station and quick drench shower in the immediate work area. 3) Hand protection Wear appropriate chemical resistant glove. 4) Skin protection Wear appropriate protective clothing by considering physical and chemical properties of chemicals. 5) Others Not available | | | | | | |
| 9 Physical and (| Chemical Properties | | | | | |
| 9. Physical and Chemical Properties A. Appearance(physical state, color etc.) : Pellet | | | | | | |
| A. Appearance | (physical state, color etc.) : Pellet | | | | | |
| A. Appearance B. Odor : Not | (physical state, color etc.) : Pellet available | otalEne | ergies | | | |
| A. Appearance B. Odor : Not C. Odor Thres D. pH : Not a | (physical state, color etc.) : Pellet available hold : Not available vailable | otalEne | ergies | | | |
| A. Appearance B. Odor : Not C. Odor Thres D. pH : Not a E. Melting po F. Initial bo | (physical state, color etc.) : Pellet available hold : Not available | | ergies | | | |
| A. Appearance B. Odor : Not C. Odor Thres D. pH : Not a E. Melting po F. Initial bo G. Flash poin | (physical state, color etc.) : Pellet available hold : Not available vailable int/Freezing point : 130~160℃ iling point and boiling point range: No | | ergies | | | |
| A. Appearance B. Odor : Not C. Odor Thres D. pH : Not a E. Melting po F. Initial bo G. Flash poin H. Evaporatio I. Flammabili | (physical state, color etc.) : Pellet available hold : Not available vailable int/Freezing point : 130~160℃ iling point and boiling point range: Not it: Not available n Rate: Not available ty (solid, liquid): Not available | ot available | ergies | | | |
| A. Appearance B. Odor : Not C. Odor Thres D. pH : Not a E. Melting po F. Initial bo G. Flash poin H. Evaporatio I. Flammabili J. Explosion | (physical state, color etc.) : Pellet available hold : Not available vailable int/Freezing point : 130~160℃ iling point and boiling point range: Not it: Not available on Rate: Not available ty (solid, liquid): Not available range of prints or high / low: Not ava | ot available | ergies | | | |
| A. Appearance B. Odor : Not C. Odor Thres D. pH : Not a E. Melting po F. Initial bo G. Flash poin H. Evaporatio I. Flammabili J. Explosion K. VAPOR PRES | (physical state, color etc.) : Pellet available hold : Not available vailable int/Freezing point : 130~160℃ filing point and boiling point range: Not t: Not available on Rate: Not available ty (solid, liquid): Not available range of prints or high / low: Not ava SURE: Not available | ot available | ergies | | | |
| A. Appearance B. Odor : Not C. Odor Thres D. pH : Not a E. Melting po F. Initial bo G. Flash poin H. Evaporatio I. Flammabili J. Explosion K. VAPOR PRES L. Solubility | (physical state, color etc.) : Pellet available hold : Not available vailable int/Freezing point : 130~160℃ iling point and boiling point range: Not it: Not available on Rate: Not available ty (solid, liquid): Not available range of prints or high / low: Not ava | ot available | ergies | | | |
| A. Appearance B. Odor : Not C. Odor Thres D. pH : Not a E. Melting po F. Initial bo G. Flash poin H. Evaporatio I. Flammabili J. Explosion K. VAPOR PRES L. Solubility M. Vapor Dens | Composical state, color etc.) : Pellet available hold : Not available vailable int/Freezing point : 130~160℃ iling point and boiling point range: Not it: Not available on Rate: Not available ty (solid, liquid): Not available range of prints or high / low: Not ava SURE: Not available : Not available | ot available | ergies | | | |
| A. Appearance B. Odor : Not C. Odor Thres D. pH : Not a E. Melting po F. Initial bo G. Flash poin H. Evaporatio I. Flammabili J. Explosion K. VAPOR PRES L. Solubility M. Vapor Dens N. Specific g | Cophysical state, color etc.) : Pellet available hold : Not available vailable int/Freezing point : 130~160°C iling point and boiling point range: Not t: Not available on Rate: Not available ty (solid, liquid): Not available range of prints or high / low: Not ava SURE: Not available : Not available ity: Not available | ot available ilable | ergies | | | |

| | Material Safety Data Sheet | Issue date | 2011.09.23 |
|---|--|---------------|------------|
| | (MSDS) | Revision date | 2022.04.01 |
| Hanwha TotalEnergies | Hanwha TotalEnergies Petrochemical | Revision No. | REV.6 |
| | Random PP | Print date | 2022.04.01 |
| R. Viscosity: | ion temperature: Not available Not available Weight: > 1,000 | | |
| 10. STABILITY AN | ND REACTIVITY | | |
| A. Chemical Stability This product is stable at steady-state when stored and handled under recommended conditions, temperature and pressure. B. Possibility of hazardous reactions No report about harmful polymerized reactions in the room temperature and pressure. | | | |
| C. Conditions to avoid Avoid contact with heat, sparks, flame or other ignition sources. Containers may burst or explode when exposed to heat Store away from waterways and sewers Cylinders exposed to fire may release flammable gases (no code) D. Incompatible material Flammable substance | | | |
| E.Hazardous decomposition products - Thermal decomposition product → carbon oxides | | | |

11. Toxicological Information

- A. Information on the likely routes of exposure
 - 1) Respiratory tracts : Not available
 - 2) Oral : Not available
 - 3) Skin contact : Not available
 - 4) Eye contact : Not available



| Hanwha 💦 | Material Safety Data Sheet | Issue date | 2011.09.23 |
|----------|------------------------------------|---------------|------------|
| | (MSDS) | Revision date | 2022.04.01 |
| | Hanwha TotalEnergies Petrochemical | Revision No. | REV.6 |
| | Random PP | Print date | 2022.04.01 |

- 2) Degradabiltiy : Not available
- C. Bioaccumulation potential
 - 1) Bioaccumulation : Not available
 - 2) Biodegration : Not available
- D. Mobility in soil : Not available
- E.Other adverse effects - Not available

13. Disposal Considerations

- A.Disposal method
 - When this waste is solid state and doesn't mixed with other materials, it should be entrusted to the waste recycling processor
 - When it is impossible to recycle, it should be entrusted to the waste recycling processor in accordance with the national regulated disposal methods(ex. incineration, landfill, etc)
 - When this waste is mixed with designated wastes, it is entrusted to the waste recycling processor in accordance with the national regulated disposal methods for the designated wastes
- B. Disposal instruction
 - Take care not to burst the package bag and/or the package container
 - Take care not to spill out of the package bag and/or the package container
 - Don't dispose of the waste which mixed with the reactive material
 - When disposing of the waste mixed with other materials, after stabilzing in order not to react each other, it should be safely disposed in accordance with the national regulation
 - Dispose of the waste in accordance with all national laws and regulations

| | Material Safety Data Sheet | Issue date | 2011.09.23 |
|----------------------------|--|-----------------------------|------------|
| | (MSDS) | Revision date | 2022.04.01 |
| Hanwha TotalEnergies | Hanwha TotalEnergies Petrochemical | Revision No. | REV.6 |
| | Random PP | Print date | 2022.04.01 |
| 14. TRANSPORT I | NFORMATION | | |
| A.UN No. (IMDG | CODE/IATA DGR) : Not applicable | | |
| B.Proper shipp | ing name : Not applicable | | |
| C.Hazard Class | : Not applicable | | |
| D. IMDG CODE/IA | TA DGR Packing group : Not applicable | | |
| E.Marine pollu | tant : Not applicable | | |
| F.Special pred measures | cautions for user related to transpo | ort or trans | portation |
| - Local tra | ansport follows in accordance with Da | angerous goo | ds Safety |
| Management | Law. | | |
| - Package | and transport follow in accordance | with Depar | tment of |
| Transportat | ion (DOT) and other regulatory agency : | requi <mark>re</mark> ments | |
| - Air trans | port(IATA): Not subject to IATA regula | | • |
| | | otalEne | ergies |
| 15. REGULATORY | INFORMATION | | |
| A.National and | /or international regulatory information | on | |
| 1) POPs Man | agement Law : Not regulated | | |
| 2) Informat | ion of EU Classification | | |
| • Classif | ication : Not applicable | | |
| | eral regulations | | |
| | OCESS SAFETY (29CFR1910.119) : Not reg | | |
| | Section 103 (40CFR302.4) : Not regulate | | |
| • EPCRA S | ection 302 (40CFR355.30) : Not regulate | ed | |

- EPCRA Section 302 (40CFR355.30) : Not regulatedEPCRA Section 304 (40CFR355.40) : Not regulated
- EPCRA Section 313 (40CFR372.65) Not regulated
- 4) Rotterdam Convention listed ingredients : Not regulated
- 5) Stockholm Convention listed ingredients : Not regulated

| Hanwha Res | Material Safety Data Sheet | Issue date | 2011.09.23 | |
|---|---|---------------|------------|--|
| | (MSDS) | Revision date | 2022.04.01 | |
| | Hanwha TotalEnergies Petrochemical Random PP | Revision No. | REV.6 | |
| | | Print date | 2022.04.01 | |
| | | | | |
| 6) Montreal Protocol listed ingredients : Not regulated | | | | |

16. OTHER INFORMATION

Α.

| A. Reference | | | |
|---|--|--|--|
| ○ TSCA ; http://iaspub.epa.gov/sor_internet/registry/substreg/ | | | |
| searchandretrieve/searchbylist/search.do | | | |
| ○ EU Regulation 1272/2008 | | | |
| ○ TOMES; LOLI ; http://csi.micromedex.com/fraMain.asp?Mnu=0 | | | |
| \bigcirc UN Recommendations on the transport of dangerous goods 17th | | | |
| \bigcirc IARC Monographs on the Evaluation of Carcinogenic Risks to Humans; | | | |
| http://monographs.iarc.fr | | | |
| ○ ECHA CHEM; http://echa.europa.eu/web/guest/information-on-chemicals | | | |
| /registered-substances | | | |
| ○ OECD SIDS; http://webnet.oecd.org/Hpv/UI/Search.aspx | | | |
| ○ HSDB; http://toxnet.nlm.nih.gov/cgi-bin/sis/search2 | | | |
| ○ EPA; http://www.epa.gov/iris | | | |
| O InCHEM; http://www.inchem.org/ | | | |
| ○ EPISUITE Program ver.4.1 | | | |
| TotalEnergies | | | |
| B.Key acronyms | | | |
| \bigcirc ACGIH(American Conference of Governmental Industrial Hygienists) | | | |
| ○ ECHA(European Chemicals Agency) | | | |
| \bigcirc OECD(Organization for Economic Co-operation and Development) | | | |
| \bigcirc CERCLA(Comprehensive Environmental Response, Compensation, and | | | |
| Liability Act) | | | |
| \bigcirc IARC(International Agency for Research on Cancer) | | | |
| \bigcirc NIOSH(National Institute for Occupational Safety and Health) | | | |
| \bigcirc OSHA(Occupational Safety and Health Administration) | | | |
| O NTP(National Toxicology Program) | | | |
| ○ TSCA(Toxic Substances Control Act) | | | |

- \bigcirc NFPA(National Fire Protection Association)
- LC50(Lethal Concentration 50% kill)

| Hanwha Res | Material Safety Data Sheet (MSDS) | Issue date | 2011.09.23 |
|-------------------|---|---------------|------------|
| | | Revision date | 2022.04.01 |
| | Hanwha TotalEnergies Petrochemical Random PP | Revision No. | REV.6 |
| | | Print date | 2022.04.01 |

○ LD50(Lethal Dose 50% kill)

 \bigcirc EC50(50% Effect Concentration)

- STEL(Short Term Exposure Limit)
- TWA(Time weight Average)
- TLV(Threshold Limit Value)
- C. Issued date : 2011.09.23
- D.Revision number and date : 6th, 2022.04.01

E.Other material safety data sheet information:

- This SDS is prepared according to the Globally Harmonized System (GHS).

- This safety data sheet is based on current knowledge and information that we know.

- Please note that this information is not a guarantee of the product itself.

- This information relates to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is to the best of our knowledge and belief, accurate and reliable as of the date compiled. However, no representation, warranty or guarantee is made as to its accuracy, reliability on completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information nor do we offer warranty against patent infringement.